

LIFESTYLE RANGE

TIMBER FA

STYLE S

Under 30sqm

> No permit required

"ARRANT

NEW ZEALAND MADE

1 Star

CURODING

THE ULTIMATE IN STYLISH, SECURE STORAGE

WWW.DURATUF.CO.NZ/LIFESTYLE





LIFESTYLE RANGE

Designed to meet the needs of a range of Kiwi lifestyles, the Duratuf Lifestyle Range is the ultimate in stylish, secure storage. With models that suit high density suburban living to sprawling country estates you're sure to find one that fits your requirements.

Made right here in New Zealand from quality materials and components by our team with over 25 years of kitset building experience, a Duratuf Lifestyle shed is a worthy investment that'll pay off for decades to come.





LIFESTYLE RANGE

Features at a Glance




Engineer Approved

The Duratuf Lifestyle sheds over 10m² have been reviewed and certified by a chartered professional engineer. This means you do not need building consent to build one, provided you meet any other local council regulations.







Timeless Design

Superior Weatherproofing

Water is the last thing you want inside your shed. So while other brand sheds have steel channels that allow it to pool and corrode, Duratuf Lifestyle sheds have effective flashings to stop it getting in, and spouting to make sure it moves on quickly, either down the drain or diverted to a water tank or rain barrel.

(Downpipe kit required for Ponsonby and Fendalton models)

Structural Timber Framing

Like all Duratuf sheds the Lifestyle Range features a robust timber frame. This not only gives them a solid structural backbone, in addition it does away with the need for steel channels that invite leaks and corrosion. Plus it gives you plenty of options when it comes to hanging up tools, or adding shelves and workbenches.

All timber is machine gauged, appropriately treated, and sourced from renewable New Zealand pine forests. Roof beams are hi-span laminated structural beams for the ultimate in strength and durability.



a permit.



Secure Roller Door

theft.

your property.

Solid Steel Cladding

Not only does it look great, our hi-tensile 0.4mm Armorsteel steel cladding with multi-layered paint coating is tough enough to resist even New Zealand's most extreme weather conditions. We're so confident that we back it up with a 30 year guarantee.

your property.





No Permit Required Under 30sqm

Building a garden shed that is under 30 square meters in size does not require a permit, offering you a straightforward solution for adding extra storage space to your property. This means that homeowners and DIY enthusiasts can construct a shed of this size without having to obtaining

Generous Headroom

An impressive stud height means even the tallest loose forward won't go bumping their head. More importantly, it gives you much needed extra space on a smaller footprint, and allows you to store tall items and other gear in a space-saving vertical position.

High and wide so you can get everything inside. A quality New Zealand made roller door provides uninhibited access for larger items, while giving you peace of mind knowing your valuable gear is kept safe from

Available in many popular colour options (see page 14), combine it with your preferred shed colour to create a colour scheme tailored to

Available in many popular colour options (see page 14), combine it with your preferred door colour to create a colour scheme tailored to


















Optional Downpipe Kit


Upgrade your Duratuf Ponsonby or Fendalton with the PVC downpipe kit. This kit comes complete with a cover flashing, making it a comprehensive solution for managing rainwater.

Windsor

Ideal storage against the house or hard against the fence.

Base Dimensions		
Width	Depth	
2.400m	1.500m	

Door Width	Door Clearance Height
1.800m	1.910m



Product Code LNL2415



Door Width	Door Clearance Height
2.400m	1.910m









Matakana		Product Code: LEMK
place to store any other belo	ure, out of the v bikes, BBQs, and ongings.	-
Width	Depth	2.400m
2.400m	2.000m	
Door Width	Door Clearance Height	4.8 sqm
		1.800m


























Product Code: LRM Marlborough Added depth provides plenty of space for your ride on mower with ample room for additional storage. **Base Dimensions** Width Depth 3.150m 3.150m 3.150m **Door Clearance** Door Width Height 9.9 sqm 2.400m 1.990m

2.400m












Kinloch

A deep shed perfect for storing long items in a narrow space.

Product Code LLK















Glenburn

Product Code LNL4248


With a spacious interior, the Glenburn has ample room for large garden machinery such as ride-on mowers and concrete mixers etc.




























Optional upgrades





(970mm W x 520mm H) can be added in multiple locations on your Lifestyle shed.

Access your Lifestyle shed at the click of a button with the remote controlled automatic door kit. A popular addition for those wanting complete convenience.

Clear Roof Panel

Enjoy natural daylight in your shed without the harmful effects of UV rays, thanks to the clear roof panels. These panels are designed to integrate seamlessly with the steel roof sheet, and are available as an optional upgrade for any Lifestyle shed.

Coastal upgrade



Because we are so confident in the quality of our cladding, we back it up with a 30-year warranty in non-coastal regions (conditions apply). For those sheds in coastal areas, we also offer a high-durability grade of cladding option for your peace of mind. With an extra thick layer of zinc-aluminium protection, our Coastal grade cladding provides enhanced resistance to the harsh conditions in New Zealand's coastal environment.

For full details of our Coastal Upgrade Option, refer to www.duratuf.co.nz/duratuf-warranty.

Very High Wind Upgrade Kit

Built with safety, strength, and durability in mind, the Lifestyle shed range has a timber-reinforced heavy-duty construction, engineered to NZS 3604 High Wind Zone specification. The Lifestyle shed can withstand most of Mother Nature's wear and tear, but for those Very High Wind Zone areas, we offer a NZS 3604 Very High Wind Zone shed upgrade kit. For more information regarding wind zones, visit the Branz website: https://www.branz.co.nz/branz-maps-zones/

Snow Load Upgrade Kit







- Live in New Zealand's high country where snowfalls are regular? We have you covered with a NZS 3605 standard 1 kPa engineered load rating on all our Lifestyle sheds.
- However, for those higher elevation areas with severe snow, the Snow Load Upgrade Kit is a perfect addition to your Lifestyle shed, with a 2kPa upgrade Snow Load kit option to suit NZS 3604 standards, reinforcing the sheds inner roof structure. For a NZ snow load map visit: https://www.level.org.nz/fileadmin/downloads/Site_Analysis/Snow_Zones_Map.pdf



You can choose any combination of shed and door colour.

With a wide range of popular cladding colours you're sure to find a colour scheme to match your property.



Similar to FlaxPod®

Flooring Options

While the Ponsonby and Fendalton models are able to sit on an existing substrate like a driveway, deck or patio, all other models are designed to sit on a purpose built raised floor. As the cladding overhangs the bottom framing by 30mm to eliminate water ingress. We can provide this with our Plywood or Timber Floor Kit, otherwise you can lay a concrete pad or fabricate something to suit.

Note: Models over 10m2 require a concrete slab that meets the NZ Building Code to be compliant

Plywood Floor Kit

Includes cut to size 17mm H3 plywood sheets, ground treated H4 joists, treadplate doorway flashing and all required hardware.

Timber Floor Kit

Includes cut to length thick gauge H3 timber floorboards, ground treated H4 joists, treadplate doorway flashing and all required hardware. (floorboards supplied in separate pack from main kitset)

Building A Raised Concrete Base

- Step 1 Establish size of shed and excavate sufficient area. Remember to allow for roof overhang of 150mm on the back wall and 50mm on the side walls.
- Step 2 Ensure that the base substrate is compacted firmly. The concrete slab should be 100mm thick in the middle and 200mm thick around the edges (Fig 2).
- Step 3 Lay boxing to the required size. Check the base is square and the diagonal measurements are equal. The raised slab size should be 20mm smaller than the overall base size of the shed and at least 50mm above the ground line. (Fig. 1)
- Step 4 Lay plastic sheeting under slab to prevent moisture coming through from underneath.
- Fig. 1 PTH 20 Fig. 2



UEIU





Accessories



Shed Alarm

Clear Roof Panel

Heavy Duty Workbench



Assembly Options

Lifestyle sheds are a great project for a competent DIYer, otherwise we recommend hiring a builder or an assembly service. Visit Duratuf.co.nz to view our recommended assemblers.

Tools Required





Lifestyle sheds are delivered in a single 0.6 - 0.8m crate as a ready to build kitset and come with comprehensive assembly instructions. If ordered with a Timber Floor Kit this will be packaged separately.

Step 5 - Pour concrete and screed flush.





Downpipe Kit**

*For fixing Ponsonby/Fendalton to ground or loose substrate ** Required for Ponsonby/Fendalton only. All other models have PVC downpipes as standard.

Automatic Door Kit









Hamme







Ladder





Pipe Wrench



Skillsaw and Jigsaw



(12mm Drill bit)



THE ULTIMATE IN STYLISH, SECURE STORAGE





Customer Helpline (weekdays)

Call 0800 GET A SHED 0800 438 274 Riverlea Group Ltd | PO Box 11062 | Hamilton 3251 | New Zealand | +64 7 847 0204